

Report Created:
10/1/2014 12:21:09 AM

Streamflow Forecast Summary: January 1, 2006 (averages based on 1981-2010 reference period)

	Forecast Period	Forecast Exceedance Probabilities for Risk Assessment						30yr Avg (KAF)
		90% (KAF)	70% (KAF)	50% (KAF)	% Avg	30% (KAF)	10% (KAF)	
CANADIAN RIVER BASIN	Vermejo R nr Dawson							
	Eagle Nest Reservoir Inflow							
	Cimarron R nr Cimarron ²							
	Ponil Ck nr Cimarron							
	Rayado Ck nr Cimarron							
	Conchas Reservoir Inflow ³							

- 1) 90% and 10% exceedance probabilities are actually 95% and 5%
 - 2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions
 - 3) Median value used in place of average

- 1) 90% and 10% exceedance probabilities are actually 95% and 5%
 - 2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions
 - 3) Median value used in place of average

Rio Pueblo de Taos bl Los Cordovas

Embudo Ck at Dixon

El Vado Reservoir Inflow²

Santa Cruz R at Cundiyo

Nambe Falls Reservoir Inflow

Tesuque Ck ab diversions

Rio Grande at Otowi Bridge²

Santa Fe R nr Santa Fe²

Jemez R nr Jemez

Jemez R bl Jemez Canyon Dam

Rio Grande at San Marcial²

- 1) 90% and 10% exceedance probabilities are actually 95% and 5%
 - 2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions
 - 3) Median value used in place of average

Forecast Exceedance Probabilities for Risk Assessment								
	Chance that actual volume will exceed forecast							
	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Avg	30% (KAF)	10% (KAF)	30yr Avg (KAF)
MIMBRES RIVER BASIN	Mimbres R at Mimbres							

- 1) 90% and 10% exceedance probabilities are actually 95% and 5%
 - 2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions
 - 3) Median value used in place of average

Glia R at Glia

Gila R bl Blue Ck nr Virden³

San Francisco R at Glenwood³

San Francisco R at Clifton³

- 1) 90% and 10% exceedance probabilities are actually 95% and 5%
 - 2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions
 - 3) Median value used in place of average

Forecast Exceedance Probabilities for Risk Assessment								
Chance that actual volume will exceed forecast								
ZUNI-BLUEWATER BASINS	Forecast	90%	70%	50%	% Avg	30%	10%	30yr Avg
	Period	(KAF)	(KAF)	(KAF)		(KAF)	(KAF)	(KAF)

Bluewater Lake Inflow³

Rio Nutria nr Ramah³

Ramah Reservoir Inflow³

Zuni R ab Black Rock Reservoir³

1) 90% and 10% exceedance probabilities are actually 95% and 5%

2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions

3) Median value used in place of average

Forecast Exceedance Probabilities for Risk Assessment							
Chance that actual volume will exceed forecast							

SAN JUAN RIVER BASIN	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Avg	30% (KAF)	10% (KAF)	30yr Avg (KAF)
----------------------	-----------------	-----------	-----------	-----------	-------	-----------	-----------	----------------

Rio Blanco at Blanco Diversion²

Navajo R at Oso Diversion²

Navajo Reservoir Inflow²

Animas R at Durango

La Plata R at Hesperus

1) 90% and 10% exceedance probabilities are actually 95% and 5%

2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions

3) Median value used in place of average

Forecast Exceedance Probabilities for Risk Assessment							
Chance that actual volume will exceed forecast							

CHUSKA MOUNTAINS	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Avg	30% (KAF)	10% (KAF)	30yr Avg (KAF)
------------------	-----------------	-----------	-----------	-----------	-------	-----------	-----------	----------------

Bowl Canyon Ck ab Asaayi Lake

Captain Tom Wash nr Two Gray Hills

Kinlichee Ck

Wheatfields Ck nr Wheatfields

1) 90% and 10% exceedance probabilities are actually 95% and 5%

2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions

3) Median value used in place of average

Forecast Exceedance Probabilities for Risk Assessment							
Chance that actual volume will exceed forecast							

RIO HONDO BASIN	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Avg	30% (KAF)	10% (KAF)	30yr Avg (KAF)
-----------------	-----------------	-----------	-----------	-----------	-------	-----------	-----------	----------------

Rio Ruidoso at Hollywood

1) 90% and 10% exceedance probabilities are actually 95% and 5%

2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions

3) Median value used in place of average